

*RETURN TO FMF - LOCATION 7540 Pre-Ed.4

QUERY CONTROL FORM		RTIS USE ONLY	
Application No.	10/630,781	Prepared by	B.M.Q.
Examiner-GAU	Ahmad-1772	Date	4/23/04
		No. of queries	2
		Tracking Number	
		Week Date	

oCA

CB

JACKET

a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449
b. Applicant(s)	g. Disclaimer	l. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

SPECIFICATION

- a. Page Missing
- b. Text Continuity
- c. Holes through Data
- d. Other Missing Text
- e. Illegible Text
- f. Duplicate Text
- g. Brief Description
- h. Sequence Listing
- i. Appendix
- j. Amendments
- k. Other

CLAIMS

- a. Claim(s) Missing
- b. Improper Dependency
- c. Duplicate Numbers
- d. Incorrect Numbering
- e. Index Disagrees

Punctuation

- g. Amendments
- h. Bracketing
- i. Missing Text
- j. Duplicate Text
- k. Other

MESSAGE

PTO-1449 missing initials in the
Other references section. Please resolve.
Claims 2^{and 9} at the end of formula there
is a comma. Please resolve

RESPONSE

Corrected KP 5-11-04

Thanks,


initials B.M.Q.

I can not find where you are
saying these errors occur in
these claim which are numbered
Please attach sheets of these
claims you are referring to

initials SPW

4/30/04


{Chemical Formula 2}



20. (Original) The method of claim 19, wherein components B and C are selected independently from groups shown in chemical formula 3, substituted-structure groups of the chemical formula 3 with a halogen, cyano, nitro, amino group, other substituted-structure groups

ethenyl group, is selected from groups designated in chemical formula 2, substituted-structure groups of chemical formula 2 with a halogen, cyano, nitro, amino group, and other substituted-structure groups with a alkyl and haloalkyl, and cyanoalkyl group having 1 to 10 carbons or an aryl, alkyl, aryl, haloaryl, haloalkyl aryl, nitroaryl, cyanoaryl group having 3 to 8 carbons;






{Chemical Formula 2}



KP
5-11-04

5-11-04 X
27. (Original) The method of claim 26, wherein components B and C are selected from groups shown in chemical formula 3, substituted-structure groups of chemical formula 3 with a halogen, cyano, nitro, amino group, other substituted-structure groups with carbonated groups of which carbon number n lies between 1 and 10 such as an alkyl, haloalkyl, and cyanoalkyl, and other carbonated groups of which carbon number lies between 3 and 8 such as an alkylaryl, haloaryl, haloalkyl aryl, nitroaryl, cyanoaryl;

{Chemical Formula 3}



28. (Original) The method of claim 25, further comprising:

forming a gate line and a crossing data line on the first substrate;

forming a thin film transistor at a crossing between the gate and data lines; and

forming a pixel electrode connected to the thin film transistor.